

PRODUCT SELECTION GUIDE

CLEANROOM		S - standard O - optional Consult spec sheets for additional options		ISO	WET LOCATION	IP65	IP66	IP67	NEMA 4X	PSI HOSEDOWN	HAZ LOC XH	NSF X5	
RECESSED GRID T-BAR	OVERLAPPING DOOR	CRG-3522	LED FLU	1x1 2x2 2x4	5-8	S	S					O	
		CRGP-3898 PERF BASKET	FLU	1x4 2x4	5-8	S						O	
		SAFG-3755 TIG WELDED	LED FLU	1x4 2x2 2x4	4-8	S	S	S				O	O
RECESSED FLANGED HARD CEILING	OVERLAPPING DOOR	CRIG-3558	LED FLU	1x4 2x2 2x4	5-8	S	S			2500		O	
		CRIG-3588	FLU	1x4 2x2 2x4	6-8	S						O	
		CRIGP-3558 PERF BASKET	FLU	1x4 2x2 2x4	5-8	S	S			2500	O	O	
		SAF-3518 TIG WELDED	LED FLU	1x4 2x2 2x4	4-8	S	S	S				O	
SURFACE	OVERLAPPING DOOR	SAFP-3518 PERF BASKET TIG WELDED	LED FLU	2x4	4-8	S	S	S				O	O
		SAFR-4004 REAR ACCESS TIG WELDED	LED FLU	1x4 2x2 2x4	4-8	S	S	S				O	O
		CRFX-3597 EXIT	LED	16 X 12	5-8								O
	OVERLAPPING DOOR	CRIF-3579	LED FLU	1x1 1x2 1x3 1x4 2x4 2x2	5-8	S	S			2500		O	
		CRIF-4223 TIG WELDED	LED FLU	1x1 1x2 1x3 1x4 2x4 2x2		S	S			2500		O	
	OVERLAPPING DOOR	CRS-3555 CEILING	LED FLU	1x2 1x4 2x2 2x4	4-8	S	S					O	O
		CRC-3519 CORNER	LED FLU	24" 48"	4-8		S						O
	INSET DOOR	CRIS-3525	LED FLU	24" 36" 48" 96"	4-8	S	S			2500		O	
	NO DOOR	CRTD-3523 TEAR DROP	LED FLU	24" 36" 48" 96"	4-8							O	
		CRV VAPOR TIGHT	LED FLU	24" 48" 96"	4-8	S	S	S	S	S	1500	LED ONLY	O

VANDAL RESISTANT

S - standard
O - optional
Consult spec sheets for additional options

WET
LOCATION

ROUGH SERVICE
(20 Ga)

MINIMUM
(18 Ga)

MEDIUM
(16 Ga)

MAXIMUM
(14 Ga)

SUPER
MAX
(12 Ga)

IP55

IP65

RECESSED

GRID T-BAR



VRG-3552

LED
FLO

1x1
2x2
2x4

O


O

O

O

O

INSET DOOR



VRIG-3558

LED
FLO

1x4
2x2
2x4

O

O

O

O

O

RECESSED

FLANGED HARD CEILING



VRF-3553
MOUNTING HOLES

LED
FLO

1x2
1x4
2x2
2x4

O

O

O

O

VRF-3836
SWING ARMS

LED
FLO

1x2
1x4
2x2
2x4

O

O

O

O

VRFW-4143
WALL

LED

6x10


O

O

O

O

INSET DOOR



VRIF-3497
MOUNTING HOLES

LED
FLO

1x4
2x2
2x4

O

O

O

O

O

VRIF-4104
SWING ARMS

LED

2x2
2x4

O

O

O

O

O

VRIF-3794
SWING ARMS

LED
FLO

1x1
1x4
2x2
2x4

O

O


O

O

O

SURFACE

OVERLAPPING DOOR



VRS-3586
CEILING

LED
FLO

24"
48"

O

O

O

INSET DOOR



VRIS-3525
CEILING

LED
FLO

1x1
1x4
2x2
2x4

O

O

O

VRIS-3490
CEILING

FLO

1x4
2x2
2x4

O

O

O

O

VRIS-3857
CEILING

FLO

2x2

S

VRIS-3882
CEILING

LED

1x1

O

O

O

VRS-3942
CEILING

LED

1x1
1x2

O

O

O

O

VRC-3496
CORNER

LED
FLO

24"
48"


O

O

O

O

CLAMSHELL



VRS-3526
CEILING

LED
FLO

1x4

O

O

O

VRS-3489
CEILING

LED
FLO

1.5x2
1.5x4

O

O

O

VRS-3492
CEILING

LED
FLO

1x4

O

O

O

O

VRS-4199
CEILING

LED

48"

O

O

VRS-4022
CEILING

LED
FLO

1x2
1x4
2x2
2x4

O

O

O

O

O

O

VRC-3524
CORNER

LED
FLO

24"
48"

O

O

O

VRWB-3551
WALL

LED
FLO

1x1
1x2
1x4

O

O

O

VRW-3591
WALL

LED
FLO


1x1
1x2
1x4

O

O

O

WRAP



VRSE-3556
CEILING

LED
FLO

24"
48"
96"

S

VRSE-3556
WALL

LED
FLO

24"
48"
96"

VRS-4091
CEILING

LED
FLO

24"
48"

S

MEDICAL

PATIENT

RECESSED

GRID T-BAR



MD1IG-3863
EXAM



2x2

MD1IG-3897
AMBIENT



2x2
2x4

MD1IG-4104
AMBIENT

LED

2x2
2x4

MD1IG-4150
EXAM ASYMMETRIC

LED

1x4

MD2IG-3461
AMBIENT / EXAM



2x2
2x4

MD2IG-4200
AMBIENT / EXAM

LED


48"

MD2IG-4190
AMBIENT / EXAM

LED

2x4

NO DOOR



MD2G-3459
AMBIENT / EXAM



2x4

MD3G-4103
READING / AMBIENT
/ EXAM

LED

2x4

MD3G-3452
READING / AMBIENT
/ EXAM



2x4

MD3G-3460
READING / AMBIENT
/ EXAM



2x4

MD3G-3834
READING / AMBIENT
/ EXAM



2x4

RECESSED

FLANGED HARD CEILING



MD1F-4104
AMBIENT

LED

2x2
2x4

MD1F-4156
AMBIENT



2x4

MD2IF-3461
AMBIENT / EXAM



2x2
2x4

MD3IF-4103
READING / AMBIENT
/ EXAM

LED

2x4

SURFACE

CEILING

MD2IS-3461
AMBIENT / EXAM



2x2
2x4

WALL

MDW-3859
AMBIENT



24"
26"
48"

MDWB-3587
AMBIENT / EXAM



24"
26"
48"

SURGICAL

RECESSED

GRID T-BAR




MD1IG-3594



1x4
2x2
2x4

RECESSED

FLANGED HARD CEILING



MD1IF-3792



1x4
2x2
2x4

SURFACE

INSET DOOR



MD1IS-3799



1x4
2x2
2x4

S - standard
O - optional
Consult spec sheets
for additional options

WET
LOCATION

IP65

MIL
STD
461F

LOW
VOLTAGE
CONTROLLER

RFI
FILTER

GREEN
LED