


CERTOLUX™



















PRODUCT SELECTION GUIDE

NOT SURE WHICH CERTOLUX PRODUCT YOU NEED?

SEARCH BY INSTALLATION & CONSTRUCTION



SEARCH BY CLASSIFICATION

CLEANROOM

S - standard
O - optional
Consult spec sheets for additional options



WET
LOCATION

IP65

IP66

IP67


NEMA 4X

PSI
HOSEDOWN

HAZ
LOC XH

NSF
X5

RECESSED UNIVERSAL HARD CEILING & T-BAR



CRUO
CRUI

LED

1x4
2x2
2x4

3

S

S

O

RECESSED GRID T-BAR



CRG-3522

LED
FLU

1x1
2x2
2x4

5-8

S

S

O

CRGP-3898
PERF BASKET

FLU

1x4
2x4

5-8

S

O

SAFG-3755
TIG WELDED

LED
FLU

1x4
2x2
2x4

4-8

S

S

S

O

O

CRIG-3558

LED
FLU

1x4
2x2
2x4

5-8

S

S

2500

O

CRIGP-3558
PERF BASKET

FLU

1x4
2x2
2x4

5-8

S


S

2500

O

O

RECESSED FLANGED HARD CEILING



SAF-3518
TIG WELDED

LED
FLU

1x4
2x2
2x4

4-8

S

S

S

O

SAFP-3518
PERF BASKET
TIG WELDED

LED
FLU

2x4

4-8

S

S

S

O

O

SAFR-4004
REAR ACCESS
TIG WELDED

LED
FLU

1x4
2x2
2x4

4-8

S

S

S

O

O

CRFX-3597
EXIT


LED

16 X 12

5-8

O

SURFACE



CRS-3555
CEILING

LED
FLU

1x2
1x4
2x2
2x4

4-8

S

S

O

O

CRC-3519
CORNER

LED
FLU

24"
48"

4-8

S

O

CRIS-3525

LED
FLU

24"
36"
48"
96"

4-8

S

S

2500

O

CRTD-3523
TEAR DROP

LED
FLU

24"
36"
48"
96"

4-8

O

CRV
VAPOR TIGHT

LED
FLU

24"
48"
96"

4-8

S

S

S

S

S

1500

LED ONLY

O

VANDAL RESISTANT

S - standard
O - optional
Consult spec sheets for additional options

WET
LOCATION

ROUGH SERVICE
(20 Ga)

MINIMUM
(18 Ga)

MEDIUM
(16 Ga)


MAXIMUM
(14 Ga)

SUPER MAX
(12 Ga)

IP55

IP65

RECESSED UNIVERSAL HARD CEILING & T-BAR



VRUO
VRUI — LED
1x4
2x2
2x4

O

O

O

O


O

O

O

O

RECESSED GRID T-BAR



VRG-3552 — LED
FLU
1x1
2x2
2x4

O

O

O

O

O

O

VRIG-4104 — LED
2x2
2x4

O

O


O

O

O

O

RECESSED FLANGED HARD CEILING



VRF-3553 — LED
MOUNTING HOLES
FLU
1x2
1x4
2x2
2x4

O

O

O

O

O

VRF-3836 — LED
SWING ARMS
FLU
1x2
1x4
2x2
2x4

O

O

O

O

O

VRFW-4143 — LED
WALL
6x10

O

O

O

O

O

VRIF-4104 — LED
SWING ARMS
2x2
2x4

O

O


O

O

O

O

SURFACE



VRS-3586 — LED
CEILING
FLU
24"
48"

O

O

O

VRIS-3525 — LED
CEILING
FLU
1x1
1x4
2x2
2x4

O

O

O

VRIS-3490 — FLU
CEILING
1x4
2x2
2x4

O

O

O

O

VRIS-3857 — FLU
CEILING
2x2

S

VRIS-3882 — LED
CEILING
1x1

O

O

O

VRS-3942 — LED
CEILING
1x1
1x2

O

O

O

O


VRC-3496 — LED
CORNER
FLU
24"
48"

O

O

O

O



VRS-3526 — LED
CEILING
FLU
1x4

O

O

O

O

VRS-3489 — LED
CEILING
FLU
1.5x2
1.5x4

O

O

O

O

VRS-3492 — LED
CEILING
FLU
1x4

O

O

O

O

VRS-4199 — LED
CEILING
48"

O

O

O

VRS-4022 — LED
CEILING
FLU
1x2
1x4
2x2
2x4

O

O

O

O

O

O

O

VRC-3524 — LED
CORNER
FLU
24"
48"

O

O

O

O

VRWB-3551 — LED
WALL
FLU
1x1
1x2
1x4

O

O

O

VRW-3591 — LED
WALL
FLU
1x1
1x2
1x4


O

O

O

O

WRAP



VRSE-3556 — LED
CEILING
FLU
24"
48"
96"

S

VRSE-3556 — LED
WALL
FLU
24"
48"
96"

VRS-4091 — LED
CEILING
FLU
24"
48"

S

MEDICAL

S - standard
O - optional
Consult spec sheets for additional options

WET
LOCATION

IP65

MIL STD 461F

LOW VOLTAGE CONTROLLER

RFI FILTER

GREEN LED

PATIENT

RECESSED GRID T-BAR



INSET DOOR

MD1IG-3863
EXAM



2x2

MD1IG-3897
AMBIENT



2x2
2x4

O

MD1IG-4104
AMBIENT

LED

2x2
2x4

O

O

MD1IG-4150
EXAM ASYMMETRIC

LED

1x4

O

MD2IG-3461
AMBIENT / EXAM



2x2
2x4

O

O

O

MD2IG-4200
AMBIENT / EXAM

LED

48"

O

O

MD2IG-4190
AMBIENT / EXAM


LED

2x4

O

O

NO DOOR



MD2G-3459
AMBIENT / EXAM



2x4

O

O

MD3G-4103
READING / AMBIENT / EXAM

LED

2x4

O

O

O

O

MD3G-3452
READING / AMBIENT / EXAM



2x4

O

O

MD3G-3460
READING / AMBIENT / EXAM



2x4

O

O

MD3G-3834
READING / AMBIENT / EXAM



2x4

O

O

RECESSED FLANGED HARD CEILING



INSET DOOR

MD1F-4104
AMBIENT

LED

2x2
2x4

O

O

MD1F-4156
AMBIENT



2x4

MD2IF-3461
AMBIENT / EXAM



2x2
2x4

O

O

O

MD3IF-4103
READING / AMBIENT / EXAM

LED

2x4

O

O

O

O

SURFACE

CEILING

MD2IS-3461
AMBIENT / EXAM



2x2
2x4

O

O

O

WALL

MDW-3859
AMBIENT



24"
26"
48"

O

MDWB-3587
AMBIENT / EXAM




24"
26"
48"

O

SURGICAL

RECESSED UNIVERSAL HARD CEILING & T-BAR



OVERLAPPING DOOR

MD1U0
MD1U1

LED

1x4
2x2
2x4


O

O

O

O


O



INSET DOOR

SURFACE

INSET DOOR



MD1IS-3799



1x4
2x2
2x4

O

O

O

O