



Viscor 35 Oak St. Toronto, ON M9N 1A1
Phone: (416)245-7991 | Fax: (416)245-4778 | www.viscor.com

Title:

KIT00048

ERP# IIS00124

Date: May 2019-Rev3.0

WARNINGS

Electric shock:

- Disconnect or turn off power before installing or servicing luminaire.
- All electrical wiring to be completed by a qualified licensed electrician in accordance with local and National/Canadian Electrical Code.
- Ensure supply voltage corresponds with the correct ballast/driver voltage.
- Avoid exposing wiring to metal edges and sharp objects.
- Ensure that the luminaire is properly grounded to prevent electric hazards.

Fire:

- Keep flammable and combustible materials away from the light source and/or lens.
- Use correctly rated supply conductors as indicated by product labeling.

Burn:

- Allow luminaire to cool before handling luminaire.

Personal Injury:

- Wear safety glasses and gloves when handling the luminaire to avoid physical injury.
- Avoid direct eye contact with light source.
- Always support the weight of the luminaire.

KIT00048

MOUNTING STEM & CANOPY SET

3/8"IP (2) .M26

PENDANT LENGTH	KIT PART NUMBER
12"	KIT00048


HAR00227-CROSSBAR-
0.375-IPS-ZINC

CANOPY-IPS0.375

HAR00273-LOCK-RING

STEM-0.375IPS-STD

PARTIAL BACK VIEW
OF FIXTURE HOUSING
(NOT INCLUDED, FOR
ILLUSTRATION PUR-
POSES ONLY)



The Viscor Group



VISIONEERING™



CERTOLUX™



ARCHITECTURAL™
LIGHTING

CANFLEX™

