

KEEPING FACILITIES RUNNING

LIGHTING SOLUTIONS FOR MAINTENANCE, RENOVATION AND OPERATIONS TEAMS.

Performance-driven lighting for every area of your building designed for efficiency, reliability and tenant comfort



Table of Contents

01 [Common MRO Challenges, We Solve](#)

02 [Which Upgrade Path Is Right?](#)

03 [Plenum Access](#)

04 [Fixture-In-Fixture](#)

05 [Standard Kits](#)

06 [Gear Trays](#)

07 [Purpose-Built Lighting
\(Office Building\)](#)

08 [Reception](#)

09 [Hallway](#)

10 [Stairwell](#)

11 [Offices](#)

12 [Boardroom](#)

13 [Kitchen/Breakroom](#)

14 [Underground Parking Garage](#)

15 [Purpose-Built Lighting
\(Warehouse & Manufacturing\)](#)

16 [Reception](#)

17 [Offices](#)

18 [Boardroom](#)

19 [Kitchen/Breakroom](#)

20 [Manufacturing](#)

21 [Assembly](#)

22 [Quality Control](#)

23 [Warehouse Storage](#)

24 [High-Bay Storage](#)

25 [Purpose-Built Lighting
\(Healthcare Facilities\)](#)

26 [Public Spaces \(FoH\)](#)

27 [Clinical Support](#)

28 [Infrastructure \(BoH\)](#)



Spec Sheet



View Web

COMMON MRO CHALLENGES WE SOLVE

From reducing maintenance demands to simplifying renovations, our modernization solutions are designed to address the everyday challenges facility teams face.

TOO MUCH MAINTENANCE TIME

Fixtures are difficult or slow to access and service.

DIFFICULT CEILING ACCESS

Maintenance requires access above the ceiling or through the fixture.

OUTDATED FLUORESCENT SYSTEMS

The facility needs an LED upgrade without unnecessary ceiling work.

DISRUPTION DURING RENOVATIONS

Work must be completed efficiently in active or occupied spaces.

HIGH OPERATING COSTS

The facility needs lower energy use and less maintenance.

INCONSISTENT FIXTURE LIFE

The site needs a more reliable, longer-term solution.

CHALLENGE TO SOLUTION

NEED ABOVE-CEILING ACCESS



PLENUM ACCESS

Integrated lighting and service access

UPGRADE EXISTING TROGERS



FIXTURE-IN-FIXTURE

One-piece Installed within the existing housing

PRE-SET, PRE-DESIGNED



STANDARD KITS

Flexible LED upgrade components

SIMPLIFY FUTURE SERVICING



GEAR TRAYS

Removable internal assembly

WHICH UPGRADE **PATH IS RIGHT?**

Different solutions are designed for different facility needs. Understanding the upgrade approach can help identify the best fit for your project.



PLENUM ACCESS

Access above the ceiling



STANDARD KITS

Multi piece solution



FIXTURE-IN- FIXTURE

Upgrade the existing fixture
without changing the housing



GEAR TRAYS

Replace internal
component

PLENUM ACCESS

CLICK HERE 



INTEGRATED ACCESS.

The Plenum Access Series combines high-performance lighting with convenient above-ceiling access, helping to reduce maintenance time, minimize distraction and eliminate the need for separate access panels. Designed for a variety of specialized environments, it delivers dependable illumination while supporting safety, cleanliness and operational efficiency.



CLEANROOM

Supporting strict
environmental standards



SURGICAL

Designed for critical spaces



BEHAVIORAL HEALTH

Built for safety and durability



HIGH ABUSE

Engineered for demanding
environments

FIXTURE IN FIXTURE

[CLICK HERE](#) 



MODERN PERFORMANCE. LASTING VALUE.

Fixture-in-Fixture is a complete LED luminaire, delivered as a single piece, that is installed directly into the existing housing. It reduces labor cost and ensures an improved ceiling quality.



COMMERCIAL & OFFICE

Ideal for troffers in workspaces



EDUCATION

Efficient lighting for learning spaces



HEALTHCARE

Reliable, comfortable, illumination




WAREHOUSE

Durable solutions for demanding spaces

STANDARD KITS

[CLICK HERE](#) 



A SMART, FLEXIBLE WAY TO UPGRADE.

For standard applications, our lighting modernization solutions offer a simple, cost-effective upgrade for aging fluorescent systems. Compatible with most existing housings, they improve light quality, increase energy efficiency, and provide a clean, updated appearance with minimal disruption. Integration with smart controls and lighting management systems enhances performance and long-term value, delivering a modern solution that improves both functionality and aesthetics.



COMMERCIAL & OFFICE

Ideal for troffers in workspaces



EDUCATION

Efficient lighting for learning spaces



WAREHOUSE

Durable solutions for demanding spaces



PARKING & UTILITY

Reliable, comfortable, illumination

GEAR TRAY

[CLICK HERE](#) 



SIMPLIFIED ACCESS. FLEXIBLE PERFORMANCE.

The Gear Tray series provides an integrated approach to lighting construction and maintenance, combining the LED light source and electrical components within a removable gear tray. Designed for streamlined installation and service access, the series supports efficient maintenance while delivering reliable performance and flexibility for a variety of lighting applications.




COMMERCIAL & OFFICE

Ideal for troffers in workspaces



EDUCATION

Efficient lighting for learning spaces



CORRECTIONAL

Durable lighting for secure environments



VANDAL RESISTANT

Built to withstand demanding situations


OFFICE BUILDINGS

Creating productive, comfortable, and visually appealing workplaces.

Lighting solutions designed to support collaboration, focus, wellness, and modern office environments.



Designed for the Space



01

RECEPTION

The reception area sets the tone for your building. Our lighting solutions deliver a welcoming atmosphere with comfort, efficiency, and a clean, professional look.

LIGHTING OBJECTIVES

- ✓ Create a welcoming first impression
- ✓ Maximize energy efficiency
- ✓ Provide visual comfort and reduce glare
- ✓ Ensure easy maintenance and long-term reliability



LMEZ-Y RECESSED LINEAR

Available Sizes: 24", 48", 72", 96", 144"


CRI: 80+, 90+ **CCT:** 3000K–5000K

Lumen Output: 1100–6600

Certifications: Built to CSA & UL Standards, UL Listed and ROHS

[SPEC](#)

[WEB](#)



SELEST CONCAVE SUSPENDED LUMINAIRE

Available Sizes: 2x2

CRI: 80+ **CCT:** 3000K–5000K, 2765KT

Lumen Output: 2400–5000

Certifications: ETL Listed UL1598 and CSA22.2 no 250.0, Suitable for dry and damp locations, RoHS Compliant

[SPEC](#)

[WEB](#)



ALTO PENDANT SUSPENDED LUMINAIRE WITH REGRESSED LENS

Available Sizes: 1x4, 2x2, 2x4

CRI: 80+, 90+ **CCT:** 3000K–5000K, 2765KT

Lumen Output: 2000–7000

Certifications: ETL Listed UL1598 and CSA22.2 no 250.0, Tested in accordance to IESNA LM-79, Suitable for dry and damp locations, RoHS Compliant

[SPEC](#)

[WEB](#)



02

HALLWAY

The office hallway connects people and spaces throughout your building. Our lighting solutions provide clear visibility, comfort, and efficiency while creating a cohesive, professional environment that supports safe and seamless movement.

LIGHTING OBJECTIVES

- ✓ Support safe and intuitive circulation
- ✓ Deliver consistent, uniform illumination
- ✓ Minimize energy consumption
- ✓ Simplify maintenance in high-traffic areas



ONCURVE

CONCAVE WITH SPINE

Available Sizes: 1x4, 2x2, 2x4, 20x60

CRI: 80+ and 90+ **CCT:** 3000K–5000K

Lumen Output: 2000–7000

Certifications: DLC Listed, ETL Listed, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)



LCOMD

COMMERCIAL STRIP LUMINAIRE

Available Sizes: 24", 36", 48", 96"

CRI: 80+ **CCT:** 3500K–5000K

Lumen Output: 1500–20000

Certifications: ETL Listed, DLC Listed, Tested in accordance to IESNA LM-79, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)



LRTS

ARCHITECTURAL TROFFER

Available Sizes: 4", 6"

CRI: 80+, 90+, 97+ **CCT:** 3000K–4000K, 2765KT

Lumen Output: 1000–5000

Certifications: Built to CSA & UL Standards, NSF, IP65, IK10, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)

03

STAIRWELL

The stairwell is a critical pathway that supports safety, visibility, and ease of movement throughout the building. Our lighting solutions provide dependable illumination, energy efficiency, and enhanced security in every step.

LIGHTING OBJECTIVES

- ✓ Enhance occupant safety
- ✓ Optimize energy performance
- ✓ Improve visibility on every level
- ✓ Provide durable, low-maintenance solutions



LELW

SURFACE MOUNT

Available Sizes: 24", 48"

CRI: 80+ **CCT:** 3500K-5000K

Lumen Output: 2000-8200

Certifications: DLC Listed, Built to CSA & UL Standards, IESNA LM-79 Tested, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)



VRSE-5

SURFACE LUMINAIRE

Available Sizes: 24", 36", 48", 72", 96"

CRI: 80+ and 90+ **CCT:** 3000K-5000K, 2765KT

Lumen Output: 2500-11000

Certifications: UL Listed, IK10, IP64, IP65, Suitable for dry and damp locations, ROHS

[SPEC](#)

[WEB](#)



LTRI

WALL MOUNTED LUMINAIRE

Available Sizes: 24", 48"

CRI: 80+ **CCT:** 3000K-5000K

Lumen Output: 1000-5000

Certifications: UL Listed, DLC Listed, ROHS, and Maintainable

[SPEC](#)


[WEB](#)

OFFICES

Office spaces require lighting that promotes productivity, comfort, and focus throughout the workday. Our lighting solutions create well-lit environments that support employee well-being while improving efficiency and performance.

LIGHTING OBJECTIVES

- ✓ Support productivity and focus
- ✓ Maintain balanced ambient lighting
- ✓ Reduce eye strain and glare
- ✓ Improve energy efficiency



REVEL

ARCHITECTURAL TROFFER

Available Sizes: 1x4, 2x2, 2x4, 20x60

CRI: 80+ and 90+ **CCT:** 3000K–5000K

Lumen Output: 3200–12490

Certifications: c NSF, IP65, IK10, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)



ALTO

ARCHITECTURAL TROFFER (3 STYLES)

Available Sizes: 1x4, 2x2, 2x4


CRI: 80+ and 90+ **CCT:** 3000K–5000K

Lumen Output: 2000–7000

Certifications: DLC Listed, ETL Listed, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)



LRK-TRO

RECESSED TROFFER

Available Sizes: 1x4, 2x2, 2x4, 20x60

CRI: 80+ **CCT:** 3000K–5000K

Lumen Output: 1000–5000

Certifications: UL Listed, ROHS, and Maintainable

[SPEC](#)

[WEB](#)


05

BOARDROOM

The boardroom is where ideas are shared, decisions are made, and collaboration happens. Our lighting solutions deliver balanced illumination that supports presentations, communication, and a professional meeting experience.

LIGHTING OBJECTIVES

- ✓ Enhance presentations and collaboration
- ✓ Create a professional atmosphere
- ✓ Minimize screen reflections
- ✓ Offer lighting flexibility for different meeting styles



ALLURA R

LINEAR PENDANT LUMINAIRE

Available Sizes: 48", 96"

CRI: 80+ and 90+ **CCT:** 3000K–5000K, 2765KT

Lumen Output: 500–2000

Certifications: ETL Listed, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)



ALLURA W

WINDOW LINEAR LUMINAIRE

Available Sizes: 48", 96"


CRI: 80+ and 90+ **CCT:** 3000K–5000K, 2765KT

Lumen Output: 500–2000

Certifications: ETL Listed, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)



BEAMWAY

LINEAR LUMINAIRE

Available Sizes: 24", 48", 72"

CRI: 80+ and 90+ **CCT:** 3000K–5000K, 2765KT

Lumen Output: 400–1000

Certifications: ETL Listed, Suitable for dry and damp locations and ROHS

[SPEC](#)

[WEB](#)

KITCHEN/BREAKROOM

The kitchen serves as a gathering space for employees to recharge and connect. Our lighting solutions create a bright, comfortable environment that enhances functionality, safety, and overall workplace satisfaction.

LIGHTING OBJECTIVES

- ✓ Create a comfortable gathering space
- ✓ Reduce operating costs
- ✓ Improve task visibility
- ✓ Ensure easy maintenance and durability



QUADRA

RECESSED DROP LENS

Available Sizes: 2x2


CRI: 80+ **CCT:** 3000K–5000K, 2765KT

Lumen Output: 2000–4000

Certifications: CSA/UL Listed, UL Listed for insulated ceilings, IESNA LM-79 Tested, Suitable for dry and damp locations

[SPEC](#)

[WEB](#)



OUTLINE

RECESSED TROFFER

Available Sizes: 2x2

CRI: 80+ and 90+ **CCT:** 3000K–5000K, 2765KT

Lumen Output: 2000–6000

Certifications: ETL Listed, DLC Listed, IC rated TAA Compliant, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)



LTDCR

RECESSED TROFFER

Available Sizes: 1x1, 2x2, 3x3

CRI: 80+ **CCT:** 3500K–4000K

Lumen Output: 800–4100

Certifications: UL Listed for insulated ceilings, Built to CSA & UL Standards,

[SPEC](#)

[WEB](#)

UNDERGROUND PARKING GARAGE

Use durable, efficient lighting to improve visibility, support safe vehicle and pedestrian movement, and reduce maintenance in a challenging environment.

LIGHTING OBJECTIVES

- ✓ Improve vehicle and pedestrian visibility
- ✓ Enhance security
- ✓ Support wayfinding
- ✓ Reduce maintenance requirements



LCOMN

COMMERCIAL LUMINAIRE

Available Sizes: 24", 48", 96"

CRI: 80+ **CCT:** 3500K-5000K

Lumen Output: 2000-8000

Certifications: CSA/UL Listed, UL Listed for insulated ceilings, IESNA LM-79 Tested, Suitable for dry and damp locations and ROHS

 [SPEC](#)

 [WEB](#)



LSVB

SEALED VAPOR B LUMINAIRE

Available Sizes: 24", 48", 96"

CRI: 80+ **CCT:** 3500K-5000K

Lumen Output: 3000-14000

Certifications: CSA/UL Listed, LM-79-08 tested, IP66, IESNA DLC Listed, suitable for wet locations and ROHS

 [SPEC](#)

 [WEB](#)



CRV

VAPOUR TIGHT LUMINAIRE

Available Sizes: 24", 48", 96"

CRI: 80+ **CCT:** 3500K-5000K

Lumen Output: 2200-24000

Certifications: CSA and UL Listed, DLC Listed, Suitable for wet locations, IP65, IP66, IP67, NEMA 4X Rated and ROHS Compliant

 [SPEC](#)

 [WEB](#)

WAREHOUSES & MANUFACTURING

Optimizing safety, efficiency, and performance in demanding industrial environments.

Lighting solutions engineered to enhance productivity, improve visibility, and support warehouse and manufacturing operations.



Designed for the Space



1 RECEPTION

2 OFFICES

3 BOARD ROOM

4 KITCHEN

5 MANUFACTURING

6 ASSEMBLY

7 QUALITY CONTROL

8 WAREHOUSE STORAGE

9 HIGH-BAY STORAGE

01

RECEPTION

The reception area sets the tone for your building. Our lighting solutions deliver a welcoming atmosphere with comfort, efficiency, and a clean, professional look.

LIGHTING OBJECTIVES

- ✓ Create a welcoming first impression
- ✓ Maximize energy efficiency
- ✓ Provide visual comfort and reduce glare
- ✓ Ensure easy maintenance and long-term reliability



LMEZ-Y RECESSED LINEAR

Available Sizes: 24", 48", 72", 96", 144"


CRI: 80+, 90+ **CCT:** 3000K–5000K

Lumen Output: 1100–6600

Certifications: Built to CSA & UL Standards, UL Listed and ROHS

[SPEC](#)

[WEB](#)



SELEST CONCAVE SUSPENDED LUMINAIRE

Available Sizes: 2x2

CRI: 80+ **CCT:** 3000K–5000K, 2765KT

Lumen Output: 2400–5000

Certifications: ETL Listed UL1598 and CSA22.2 no 250.0, Suitable for dry and damp locations, RoHS Compliant

[SPEC](#)

[WEB](#)



ALTO PENDANT SUSPENDED LUMINAIRE WITH REGRESSED LENS

Available Sizes: 1x4, 2x2, 2x4

CRI: 80+, 90+ **CCT:** 3000K–5000K, 2765KT

Lumen Output: 2000–7000

Certifications: ETL Listed UL1598 and CSA22.2 no 250.0, Tested in accordance to IESNA LM-79, Suitable for dry and damp locations, RoHS Compliant

[SPEC](#)


[WEB](#)

OFFICES

Office spaces require lighting that promotes productivity, comfort, and focus throughout the workday. Our lighting solutions create well-lit environments that support employee well-being while improving efficiency and performance.

LIGHTING OBJECTIVES

- ✓ Support productivity and focus
- ✓ Maintain balanced ambient lighting
- ✓ Reduce eye strain and glare
- ✓ Improve energy efficiency



REVEL

ARCHITECTURAL TROFFER

Available Sizes: 1x4, 2x2, 2x4, 20x60

CRI: 80+ and 90+ **CCT:** 3000K–5000K

Lumen Output: 3200–12490

Certifications: c NSF, IP65, IK10, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)



ALTO

ARCHITECTURAL TROFFER (3 STYLES)

Available Sizes: 1x4, 2x2, 2x4


CRI: 80+ and 90+ **CCT:** 3000K–5000K

Lumen Output: 2000–7000

Certifications: DLC Listed, ETL Listed, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)



LRK-TRO

RECESSED TROFFER

Available Sizes: 1x4, 2x2, 2x4, 20x60

CRI: 80+ **CCT:** 3000K–5000K

Lumen Output: 1000–5000

Certifications: UL Listed, ROHS, and Maintainable

[SPEC](#)


[WEB](#)

BOARDROOM

The boardroom is where ideas are shared, decisions are made, and collaboration happens. Our lighting solutions deliver balanced illumination that supports presentations, communication, and a professional meeting experience.

LIGHTING OBJECTIVES

- ✓ Enhance presentations and collaboration
- ✓ Create a professional atmosphere
- ✓ Minimize screen reflections
- ✓ Offer lighting flexibility for different meeting styles



ALLURA R

LINEAR PENDANT LUMINAIRE

Available Sizes: 48", 96"

CRI: 80+ and 90+ **CCT:** 3000K–5000K, 2765KT

Lumen Output: 500–2000

Certifications: ETL Listed, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)



ALLURA W

WINDOW LINEAR LUMINAIRE

Available Sizes: 48", 96"


CRI: 80+ and 90+ **CCT:** 3000K–5000K, 2765KT

Lumen Output: 500–2000

Certifications: ETL Listed, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)



BEAMWAY

LINEAR LUMINAIRE

Available Sizes: 24", 48", 72"

CRI: 80+ and 90+ **CCT:** 3000K–5000K, 2765KT

Lumen Output: 400–1000

Certifications: ETL Listed, Suitable for dry and damp locations and ROHS

[SPEC](#)

[WEB](#)

KITCHEN/BREAKROOM

The kitchen serves as a gathering space for employees to recharge and connect. Our lighting solutions create a bright, comfortable environment that enhances functionality, safety, and overall workplace satisfaction.

LIGHTING OBJECTIVES

- ✓ Create a comfortable gathering space
- ✓ Reduce operating costs
- ✓ Improve task visibility
- ✓ Ensure easy maintenance and durability



QUADRA

RECESSED DROP LENS

Available Sizes: 2x2


CRI: 80+ **CCT:** 3000K–5000K, 2765KT

Lumen Output: 2000–4000

Certifications: CSA/UL Listed, UL Listed for insulated ceilings, IESNA LM-79 Tested, Suitable for dry and damp locations

[SPEC](#)

[WEB](#)



OUTLINE

RECESSED TROFFER

Available Sizes: 2x2

CRI: 80+ and 90+ **CCT:** 3000K–5000K, 2765KT

Lumen Output: 2000–6000

Certifications: ETL Listed, DLC Listed, IC rated TAA Compliant, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)



LTDCR

RECESSED TROFFER

Available Sizes: 1x1, 2x2, 3x3

CRI: 80+ **CCT:** 3500K–4000K

Lumen Output: 800–4100

Certifications: UL Listed for insulated ceilings, Built to CSA & UL Standards,

[SPEC](#)


[WEB](#)

MANUFACTURING

The manufacturing area is a dynamic production environment where precision, productivity, and worker safety are essential. Lighting solutions must provide consistent illumination, support detailed tasks, and create a comfortable atmosphere that helps maintain focus throughout demanding operations.

LIGHTING OBJECTIVES

- ✓ Enhance worker safety and operational visibility
- ✓ Support productivity and task accuracy
- ✓ Minimize shadows and visual fatigue
- ✓ Deliver energy-efficient, reliable performance



LHBI HIGH OR LOW BAY LUMINAIRE

Available Sizes: 24"

CRI: 80+ **CCT:** 4000K–5000K

Lumen Output: 12000–30000

Certifications: DLC Listed, IESNA LM-79 Tested, LEDs IESNA LM-80 Tested, Suitable for dry and damp locations, ROHS, and Maintainable

 [SPEC](#)

 [WEB](#)



LHBC-VL HIGH OR LOW BAY LUMINAIRE

Available Sizes: 224, 424, 448

CRI: 80+ **CCT:** 4000K–5000K

Lumen Output: 8000–60000

Certifications: UL Listed, cULus Listed, DLC Listed, IESNA LM-79 Tested, LEDs IESNA LM-80 Tested, Suitable for dry and damp locations, ROHS, and Maintainable

 [SPEC](#)

 [WEB](#)



LHBC HIGH OR LOW BAY TROFFER

Available Sizes: 224, 248, 424, 448

CRI: 80+ **CCT:** 4000K–5000K

Lumen Output: 12000–60000

Certifications: CSA and UL Listed, IESNA LM-79 Tested, DLC Listed, Suitable for dry and damp locations, ROHS, and Maintainable

 [SPEC](#)

 [WEB](#)

ASSEMBLY

Assembly areas require focused, accurate work where employees interact with components, tools, and equipment throughout the production process. Effective lighting helps improve visibility, reduce errors, and create an environment that supports efficiency and quality workmanship.

LIGHTING OBJECTIVES

- ✓ Improve task visibility and precision
- ✓ Reduce eye strain and worker fatigue
- ✓ Support productivity and workflow efficiency
- ✓ Ensure consistent illumination throughout the workspace



LBL-VL

COMMERCIAL-GRADE BAY LIGHT

Available Sizes: 24", 48", 96"


CRI: 80+ **CCT:** 3500K-5000K

Lumen Output: 2800-24000

Certifications: CSA and UL Listed, IESNA LM-79 Tested, DLC Listed, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)



LHBU

LINEAR HIGH-BAY WITH A CURVED LENS

Available Sizes: 48", 96"


CRI: 80+ **CCT:** 3000K-5000K

Lumen Output: 4000-36000

Certifications: ETL Listed, DLC Listed, TAA Compliant, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)



LHBD

PENDANT MOUNT HIGH BAY LUMINAIRE

Available Sizes: 48", 96"

CRI: 80+ **CCT:** 3500K-5000K

Lumen Output: 8000-24000

Certifications: CSA and UL Listed, DLC Listed, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)


[WEB](#)

QUALITY CONTROL

Quality control spaces demand exceptional visibility for inspection, testing, and verification processes. Lighting must accurately reveal colors, textures, and defects while helping personnel maintain focus and consistency during critical evaluations.

LIGHTING OBJECTIVES

- ✓ Improve inspection accuracy and consistency
- ✓ Enhance visibility of fine details and defects
- ✓ Deliver excellent color rendering performance
- ✓ Support employee comfort during prolonged tasks



LSTA

SURFACE TROFFER

Available Sizes: 1x4, 2x2, 2x4

CRI: 80+ **CCT:** 3000K–5000K

Lumen Output: 1100–9000

Certifications: CSA and UL Listed, DLC Listed, Suitable for dry and damp locations, and ROHS,

[SPEC](#)

[WEB](#)



LCOMF

COMMERCIAL STRIP LUMINAIRE

Available Sizes: 24", 48", 96"

CRI: 80+ **CCT:** 3500K–5000K

Lumen Output: 1500–20000

Certifications: ETL Listed, IESNA LM-79 Tested, DLC Listed, TAA Compliant, Suitable for dry and damp locations, and ROHS

[SPEC](#)

[WEB](#)



LHBV

HIGH BAY VAPOR TIGHT LUMINAIRE

Available Sizes: 24", 48"

CRI: 80+ **CCT:** 3000K–5000K

Lumen Output: 1000–5000

Certifications: UL Listed, DLC Listed, ROHS, and Maintainable

[SPEC](#)

[WEB](#)

WAREHOUSE STORAGE

Warehouse storage areas demand reliable, efficient lighting to support inventory management and daily operations. Our lighting solutions improve visibility, enhance safety, and help maintain productivity throughout the facility.

LIGHTING OBJECTIVES

- ✓ Enhance visibility for inventory identification and retrieval.
- ✓ Reduce energy consumption through efficient LED lighting solutions.
- ✓ Improve worker safety in aisles, shelving areas, and traffic zones.
- ✓ Deliver uniform light distribution to minimize shadows and dark spots.



LBL-VL

COMMERCIAL-GRADE BAY LIGHT

Available Sizes: 24", 48", 96"

CRI: 80+ **CCT:** 3500K-5000K

Lumen Output: 2800-24000

Certifications: CSA and UL Listed, DLC Listed, IESNA LM-79, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)



LHBC-Narrow Distribution

HIGH OR LOW BAY TROFFER

Available Sizes: 224", 248", 424", 448"


CRI: 80+ **CCT:** 4000K-5000K

Lumen Output: 1200-60000

Certifications: CSA and UL Listed, IESNA LM-79, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)



LHBI

HIGH OR LOW BAY LUMINAIRE

Available Sizes: 24"

CRI: 80+ **CCT:** 4000K-5000K

Lumen Output: 12000-30000

Certifications: UL Listed, cULus Listed, DLC Listed, IESNA LM-80 Tested, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)


[WEB](#)

HIGH-BAY STORAGE

High-bay storage environments require powerful, uniform illumination to ensure clear visibility at elevated rack heights. Our lighting solutions deliver exceptional performance, energy efficiency, and improved safety for warehouse operations.

LIGHTING OBJECTIVES

- ✓ Maximize vertical and horizontal visibility across high-rack storage areas.
- ✓ Enhance workplace safety.
- ✓ Improve lighting uniformity to reduce glare and shadows at working levels.
- ✓ Lower maintenance and operating costs with long-life, energy-efficient fixtures.



LBL-VL

COMMERCIAL-GRADE BAY LIGHT

Available Sizes: 24", 48", 96"

CRI: 80+ **CCT:** 3500K-5000K

Lumen Output: 2800-24000

Certifications: CSA and UL Listed, DLC Listed, IESNA LM-79, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)



LHBC-Narrow Distribution

HIGH OR LOW BAY TROFFER

Available Sizes: 224", 248", 424", 448"


CRI: 80+ **CCT:** 4000K-5000K

Lumen Output: 1200-60000

Certifications: CSA and UL Listed, IESNA LM-79, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)



LHBD

PENDANT MOUNT HIGH BAY LUMINAIRE D

Available Sizes: 48", 96"

CRI: 80+ **CCT:** 3500K-5000K

Lumen Output: 8000-24000

Certifications: CSA and UL Listed, DLC Listed, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)

HEALTHCARE FACILITIES

Supporting better care through safe, comfortable, and efficient lighting.

Specialized lighting solutions that help improve patient experiences, staff performance, and healthcare facility operations.



Designed for the Space



- 1 PUBLIC AREAS (FoH) 2 CLINICAL & PATIENT CARE 3 INFRASTRUCTURE (BoH)

01

PUBLIC SPACES (FoH)

Public spaces create the first impression of a healthcare facility and play a critical role in patient comfort and visitor experience. Lighting should foster a welcoming, calming atmosphere while supporting wayfinding, accessibility, and a sense of safety throughout lobbies, waiting areas, corridors, and common spaces.

LIGHTING OBJECTIVES

- ✓ Promote a welcoming and comfortable environment
- ✓ Enhance wayfinding and navigation
- ✓ Improve safety and accessibility for occupants
- ✓ Support energy-efficient facility operation



LMEZ

LINEAR

Available Sizes: 24", 48", 96"


CRI: 80+ and 90+ **CCT:** 3000K–5000K

Lumen Output: 2000–7000

Certifications: DLC Listed, ETL Listed, Suitable for dry and damp locations, ROHS, and Maintainable

[SPEC](#)

[WEB](#)



STRATIS

RECESSED TROFFER

Available Sizes: 1x4, 2x2, 2x4, 20x60

CRI: 80+ and 90+ **CCT:** 3000K–5000K, 2765KT

Lumen Output: 2500–7000

Certifications: ETL Listed, DLC Listed, IC rated TAA Compliant, Suitable for dry and damp locations

[SPEC](#)

[WEB](#)



ALTO PENDANT

SUSPENDED LUMINAIRE WITH REGRESSED LENS

Available Sizes: 1x4, 2x2, 2x4

CRI: 80+, 90+ **CCT:** 3000K–6500K

Lumen Output: 2000–7000

Certifications: ETL Listed UL1598 and CSA22.2 no 250.0, Tested in accordance to IESNA LM-79, Suitable for dry and damp locations, RoHS Compliant

[SPEC](#)

[WEB](#)

CLINICAL SUPPORT

Clinical support areas are essential to patient care operations, accommodating a variety of tasks that require focus, efficiency, and accuracy. Lighting must provide dependable visibility while supporting staff performance, workflow coordination, and a comfortable working environment.

LIGHTING OBJECTIVES

- ✓ Support clinical efficiency and productivity
- ✓ Enhance visibility for task-oriented activities
- ✓ Promote occupant comfort and reduced fatigue
- ✓ Ensure reliable illumination for daily operations



ALTO ARCHITECTURAL TROFFER (3 STYLES)

Available Sizes: 1x4, 2x2, 2x4


CRI: 80+, 90+ **CCT:** 3000K–5000K

Lumen Output: 2000–7000

Certifications: DLC Listed, ETL Listed, Suitable for dry and damp locations, ROHS, and Maintainable

 [SPEC](#)

 [WEB](#)



OUTLINE SERIES (7 STYLES)

Available Sizes: 2x2


CRI: 80+, 90+ **CCT:** 3000K–5000K, 2765K TK

Lumen Output: 2000–6000

Certifications: Built to CSA & UL Standards, IESNA LM-79, Suitable for dry and damp locations, ROHS, and Maintainable

 [SPEC](#)

 [WEB](#)



ONCURVE CONCAVE SERIES

Available Sizes: 1x4, 2x2, 2x4, 20x60

CRI: 80+ **CCT:** 3000K–5000K

Lumen Output: 2000–7000

Certifications: DLC Listed, ETL Listed, Suitable for dry and damp locations, ROHS, and Maintainable

 [SPEC](#)

 [WEB](#)

INFRASTRUCTURE AREAS (BoH)

Infrastructure and back-of-house spaces support the critical systems that enable healthcare facilities to operate safely and efficiently. Lighting must provide dependable visibility for maintenance personnel, equipment monitoring, storage functions, and facility operations while ensuring reliability in demanding environments.

LIGHTING OBJECTIVES

- ✓ Improve safety for maintenance and operations staff
- ✓ Enhance visibility around equipment and service areas
- ✓ Support reliable facility performance
- ✓ Reduce maintenance and operational costs



VTRI LED LINEAR SURFACE MOUNT

Available Sizes: 24", 36", 48"

CRI: 80+, 90+ **CCT:** 3000K-5000K

Lumen Output: 1000-5000

Certifications: Built to CSA & UL Standards, Meets ADA guidelines, Suitable for dry and damp locations, ROHS, and Maintainable

 [SPEC](#)

 [WEB](#)



VRSE-5 VANDAL RESISTANT SURFACE LUMINAIRE

Available Sizes: 24", 36", 48", 72", 96"

CRI: 80+, 90+ **CCT:** 3000K-5000K

Lumen Output: 3200-12490

Certifications: ETL listed for insulated ceilings, CSA/UL standards, IESNA LM-79, Suitable for dry and damp locations, ROHS, and Maintainable

 [SPEC](#)

 [WEB](#)



CRV VAPOUR TIGHT LUMINAIRE

Available Sizes: 24", 48", 96"

CRI: 80+ **CCT:** 3500K-5000K

Lumen Output: 2200-24000

Certifications: CSA and UL Listed, DLC Listed, Suitable for wet locations, IP65, IP66, IP67, NEMA 4X Rated and ROHS Compliant

 [SPEC](#)

 [WEB](#)

THE FUTURE IS ON®



Leviton Certolux Visioneering

35 Oak St., North York, ON M9N 1A1



Customer service line

8:30 AM–5:00 PM EST · Mon–Fri



Tel 416-245-7991

Fax 416-245-4778



Visit our website at

www.viscor.com